

Flexible, All-in-One
Colour solution for
small, busy workgroups

i-SENSYS
MF8340Cdn

i-SENSYS **i-SENSYS**
MF8360Cdn MF8380Cdw

you can



High performance and Superior Colour Quality Laser Multifunction Printer with Wi-Fi.**

Boost your workgroups productivity with this high performing, versatile, all-in-one device with professional colour quality. Allows your business to focus on its everyday tasks.

Key features

- Network ready Compact colour laser All-in-One: print, copy, scan and fax*
- Connect to network via Wi-Fi**
- 20 ppm/cpm in colour and mono
- Up to 2400 x 600 dpi print resolution
- Superior colour imaging technologies for crisp text and vibrant colours
- No waiting with Quick First-Print technologies
- Solution keys for easy scanning, eco copying and secure print
- SEND functionality; scan to email, network folder & USB memory key
- User friendly 5-line LCD display
- 50-sheet DADF, 250-sheet cassette, 50-sheet multi-purpose tray, 250-sheet optional cassette
- Energy efficient - only 3 watts in sleep mode
- Convenient All-in-One colour cartridges

What's in the Box

Main unit, Cartridge 718 starter C/M/Y/K, power cord, quick setup guide, Shortcut key label, user software and manual CDs.

Dimensions (WxDxH)

430 mm x 484 mm x 479 mm

Supported OS

Windows 2000/Server 2003 / Server 2008 / Server 2008 R2 / XP / Vista / 7

Mac OS X version 10.4.9- 10.7.x
(Web distribution only)

Linux (Web distribution only)



PRINT



COPY



FAX*



SCAN

* MF8360Cdn and MF8380Cdw only. ** MF8380Cdw only.

Canon

Specifications



- 1 Flatbed & 50-sheet DADF
- 2 5-line LCD display
- 3 50-sheet multi-purpose tray
- 4 250-sheet cassette
- 5 Cartridge 718:
5 cartridges available:
Cyan, Magenta, Yellow, Black
and Black Value Pack

<p>PRINTER Print speed Printing method Print quality Print resolution First Print Out Time Double sided printing Printer languages Print margins Toner saver mode Printing from memory media</p>	<p>Up to 20 ppm colour and mono (A4) Colour laser beam printing Up to 2400 x 600 dpi with Automatic Image Refinement 600 x 600 dpi Colour approx: 14.5 seconds or less Mono approx: 14.5 seconds or less Automatic UFR-II-LT 5 mm-top, bottom, left and right 10 mm-top, bottom, left and right (Envelope) Yes Supported memory media USB memory key Supported file types: JPEG, TIFF</p>
<p>COPIER Copy speed First Copy Output Time (FCOT) Copy resolution Copy modes Double sided copying Multiple copy Reduction / Enlargement Toner saver mode Other features</p>	<p>Up to 20 cpm colour and mono (A4) Black Approx. 15.5 seconds or less Colour Approx. 16.2 seconds or less Up to 600 x 600 dpi Text/Photo/Map (Default), Text/Photo/Map (quality), Printed Image, Text 2-sided to 2-sided (Automatic) Up to 99 copies 25-400% in 1% increments No Frame Erase, Collate, 2 on 1, 4 on 1, ID card copy</p>
<p>SEND FUNCTIONS Scan to file server Scan to E-mail and i-Fax Scan to USB memory key File formats</p>	<p>SMB SMTP, POP3 Yes TIFF, JPEG, PDF, PDF (Compact)</p>
<p>SCANNER Type Scan resolution Colour scanning depth Greyscale Compatibility Max. scan width</p>	<p>Colour Optical: Up to 600 x 600 dpi Enhanced: Up to 9600 x 9600 dpi 24 bit/24 bit (input/output) 256 levels TWAIN, WIA 216 mm</p>
<p>FAX Modem speed Receive mode Fax resolution FAX memory Speed dials Group dials/destinations Sequential broadcast Memory backup Double sided faxing Other features Fax only applies to MF8360Cdn and MF8380Cdw</p>	<p>Super G3 33.6kbps (Up to 3 seconds/page¹) Fax only, Fax/Tel Auto Switch, Answer Mode, Manual RX Standard: 200 x 100 dpi Fine: 200 x 200 dpi Photo: 200 x 200 dpi Super fine: 200 x 400 dpi Ultra fine: 400 x 400 dpi Up to 512 pages¹ Max. 181 Max. 199 dials / Max. 199 destinations Max. 210 locations 5 mins Yes (Transmit and Receive) Fax Forwarding, Dual Access, Remote Reception, PC Fax (TX only), DRPD, ECM, Auto Redial, Fax Activity Reports, Fax Activity Result Reports, Fax Activity Management Reports</p>
<p>Media handling Scanner type Paper input (Standard) Paper input (Option) Paper output Media types Media sizes Media weights</p>	<p>Flatbed and Automatic Document Feeder (DADF) 250-sheet cassette 50-sheet multi-purpose tray 50-sheet DADF 250-sheet cassette 125-sheet Plain paper, Recycled paper, Heavy Paper, Transparency, Coated Paper, Label, Index card, Envelope Cassette: A4, A5, B5, Legal, Letter, Executive, Statement, Postcard, Foolscap, Envelope (COM10, Monarch, DL, ISO-C5, ISO-B5), Custom sizes: Width 100 to 215.9 mm; Length 148.0 to 355.6 mm. Multi-purpose tray: A4, A5, B5, Legal, Letter, Executive, Statement, Postcard, Foolscap, Envelope (Monarch, ISO-C5, ISO-B5), Custom sizes: Width 76.2 to 215.9 mm; Length 127.0 to 355.6 mm. ADF: A4, A5, B5, B6, Legal, Letter, Statement, Custom sizes (W x L): Max 215.9 mm x 355.6 mm Min. 128 mm x 139.7 mm Cassette: 60 to 220 g/m² Multi-purpose tray: 60 to 220 g/m² ADF: 50 to 105 g/m²</p>

<p>INTERFACE & SOFTWARE Interface type Operating System compatibility Software and printer management</p>	<p>USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX, Wireless 802.11b/g¹⁰ Windows 2000/Server 2003⁴/Server 2008⁴/Server 2008 R2⁴/XP/ Vista/7 Mac OS X version 10.4.9-10.7.x² Linux³ Presto! Page Manager, MF Toolbox, Remote User Interface (RUI), Department ID Management</p>
<p>GENERAL FEATURES Duty cycle Warm-up Time Memory Control panel Dimensions with trays (W x D x H) Installation space (W x D x H) Weight Operating environment Power Source Power Consumption Noise Levels</p>	<p>Max. 40,000 pages per month Approx. 23 seconds from power on 256MB (shared) 5 lines backlit LCD 430 mm x 484 mm x 479 mm 674 mm x 1327 mm x 851 mm 679 mm x 1327 mm x 951 mm (with optional 250-sheet paper cassette) Approx. 31 Kg Temperature: 10 to 30°C (50 to 86°F) Humidity: 20 to 80% RH (no condensation) 220-240V(±10%) 50/60Hz (±2Hz) Maximum: Approx. 1200 W Standby: Approx. 23 W Sleep mode: Approx. 1.8 W⁵ Typical Electricity Consumption (TEC): 1.1 kWh/week Sound Pressure⁶: Active: 50.6 dB(A) or less Standby: Inaudible Sound Power⁶: Active: 67.0dB or less Standby: 43.0dB or less</p>
<p>CONSUMABLES Cartridges</p>	<p>Cartridge 718 Black (3,400 pages⁷)⁸ Cartridge 718 Cyan (2,900 pages⁷)⁸ Cartridge 718 Magenta (2,900 pages⁷)⁸ Cartridge 718 Yellow (2,900 pages⁷)⁸ Cartridge 718 Black VP (6,800 pages⁷)⁸</p>
<p>ACCESSORIES/ OPTIONS Items</p>	<p>CST.FEEDING UNIT-V1 (250-sheet cassette) TEL 6 KIT LONG CORD (Telephone handset)⁹</p>
<p>Standard disclaimers. All specifications subject to change without notice [1] Based on ITU-T Standard Chart No. 1 [2] Web distribution only. Driver release November 2011 [3] Web distribution only. Linux support printing only. Driver release January 2012 [4] Network scanning not supported [5] When in wireless mode, consumption will be 2.5W [6] Declared noise emission in accordance with ISO 9296 [7] Based on ISO/IEC 19798 [8] Printer ships with Black: 1,200 pages, C/M/Y: 1,400 pages starter cartridges [9] MF8360Cdn and MF8380Cdw only [10] MF8380Cdw only</p>	



Canon Inc.
canon.com

Canon Europe
canon-europe.com

English Edition
© Canon Europa N.V., 2011

Flexible, All-in-One
Colour solution for
small, busy workgroups

i-SENSYS
MF8340Cdn

i-SENSYS MF8360Cdn **i-SENSYS** MF8380Cdw

you can



High performance and Superior Colour Quality Laser Multifunction Printer with Wi-Fi**

5 cartridges available:
Cyan, Magenta, Yellow, Black and Black Value Pack

Sales Start Date: **November 2011**

The whole range consists of:

i-SENSYS MF8040Cn, i-SENSYS MF8080Cw, i-SENSYS
MF8340Cdn, i-SENSYS MF8360Cdn, i-SENSYS
MF8380Cdw, MF9220Cdn, MF9280Cdn

Box Dimensions (W x D x H)

590 x 565 x 578 mm

Box Weight

38.0 kg

Packet style

Pallet

Quantity of item

8

MERCURY CODES

PRODUCT

Name	Mercury Code	EAN Code
i-SENSYS MF8340Cdn	—	—
i-SENSYS MF8360Cdn	—	—
i-SENSYS MF8380Cdw	—	—

OPTIONS

Consumables	Mercury Code	EAN Code
Cartridge 718 BK Value Pack	2662B005AA	4960999653433
Cartridge 718 BK	2662B002AA	4960999628639
Cartridge 718 C	2661B002AA	4960999628608
Cartridge 718 M	2660B002AA	4960999628578
Cartridge 718 Y	2659B002AA	4960999628547

Fax Telephone	Mercury Code	EAN Code
Telephone 6 Kit EU (CW)	0752A054AA	4960999453910
Telephone 6 Kit UK (CW)	0752A053AA	4960999453897
Telephone 6 Kit SA (CW)	0752A055AA	4960999453927

Paper Cassette	Mercury Code	EAN Code
CST. FEEDING UNIT-V1	0732A024AA	4960999643755



PRINT



COPY



FAX*



SCAN

* MF8360Cdn and MF8380Cdw only. ** MF8380Cdw only.

Canon