### Inkjet Printer Epson ME<sup>™</sup> OFFICE 900WD



Finally, a first class printer **that is versatile.** 





At as little as US \$0.016<sup>#</sup> per page for black ink. Enjoy exceptional running costs with the all-new 143 inks. Epson Micro Piezo<sup>™</sup> print head technology is built with extreme durability, delivers impressive fast print speed and is both cost and energy efficient. With a tilt adjustable 2.5" LCD viewer and in-built interactive interface, enjoy greater comfort in viewing and ease of use with the Epson ME<sup>™</sup> Office 900WD.

- Affordable running costs with the all-new 143 inks Enjoy the all-new 143 inks at exceptionally low running costs of only US \$0.016<sup>#</sup> per page for black ink.
- Epson INKdividual<sup>™</sup> cartridges for maximum savings Optimise ink usage when you replace the depleted cartridge.
- Assured quality with EPSON DURABrite<sup>™</sup> Ultra Ink Enjoy lasting prints that are smudge, fade and water resistant.
- Wireless Network Connectivity
   Offers duplex printing, copying and scanning, with integrated
   WiFi/Ethernet connectivity.

#For details, please refer to specifications

## MaxEconomy.



Epson Micro Piezo<sup>™</sup> print head technology is built with extreme durability, delivers impressive fast print speed and is both cost and energy efficient. With a tilt adjustable 2.5" LCD viewer and in-built interactive interface, enjoy greater comfort in viewing and ease of use with the Epson ME<sup>™</sup> Office 900WD.



## Enjoy affordable running costs with the all-new 143 inks

Built for maximum economy, it delivers optimum print quality and efficiency. With the all-new 143 inks that lower running costs and maximise savings, enjoy economical printing at as little as US \$0.016<sup>#</sup> cost per page with its extra high capacity inks.



# Epson INKdividual<sup>™</sup> Cartridges for maximum savings

Enjoy greater savings with Epson cost-effective INKdividual<sup>™</sup> cartridges. You can now maximise usage of your ink cartridges when you replace only the empty cartridges.

#### WIFI/Ethernet-accessibility



The Epson ME<sup>™</sup> Office 900WD can be shared within your work group with its WiFi/Ethernet function thus increasing efficiency.

# Smudge, fade and water resistant prints with Epson DURABrite<sup>™</sup> Ultra Ink

Epson DURABrite<sup>™</sup> Ultra Ink, an all-purpose ink for everyday printing, delivers vibrant prints that last. Superior print quality is now possible with this smudge, fade and water resistant ink.



## Maximise time efficiency and productivity with fast prints



With a draft print speed of up to 36 pages per minute (ppm), laser-quality A4 prints at 15ppm in monochrome and 7.1ppm in colour, you can cut down significantly on waiting time. Printing quick reference documents has never been this efficient and easy.

## Save on paper cost with duplex printing



Built-in duplexer offers hassle-free printing and copying. Now you can save more on paper cost and minimise paper wastage.

### Multi-card function for optimal printing with ease and efficiency

Epson ME<sup>™</sup> Office 900WD is a solution for all your printing, copying and scanning needs.



Multi-card slot

2.5" LCD screen

#### Front paper tray of 150 pages



Reduce time wasted on replacing paper with high capacity paper tray of 150 pages.

#### **Partners in perfection**

and be environment-friendly



Epson specialty media Developed to complement Epson genuine inks in producing exceptionally high quality inks.







Epson 141 lnks Also compatible with 141 ink series.

# All-in-One Print | Copy | Scan

### Epson ME<sup>™</sup>OFFICE 900WD

N

EXCEED YOUR VISION

		SPECIFICATIONS		
		PRODUCT CODE	C11CA70411	
	169mm (6.7") 367mm	PRINTER TYPE PRINTING METHOD NOZZLE CONFIGURATION PRINT DIRECTION	On-demand in 384 nozzles Bl Bi-directional p	
	445mm (17.5") (14.4") (13.7lb)	PRINT FUNCTION MAXIMUM RESOLUTION MINIMUM INK DROPLET VOLUME PRINT SPEED	5760 x 1440 d 2 pl	
	Cost-per-print (CPP) was calculated with Epson published yield (refer to '5 elow) based on the ISO/IEC 24711/24712 standard and estimated ink cartridge price in the market. Ink cartridge price may vary depending on stores and Epson does not guarantee the CPP.	MINIMUM TRUE DI TOLET FOLDEL MAX BLACK DRAFT TEXT - MEMO (A4) MAX COLOR DRAFT TEXT - MEMO (A4) MAX PHOTO DRAFT - 10X15CM/4X6IN *2 43 BLACK TEXT (ISO24734 *6, A4) COLORIE TEXT (ISO24734 *6, A4)	Approx. 36 pp Approx. 36 pp Approx. 14 sec Approx. 20 sec Approx. 15ppr Approx. 7.1pp	
	nay vary depending on stores and Epson does not guarantee the CPP. 1 Print speed (Pages Per Minute) is calculated when printed on A4 plain	BLACK TEXT (ISO24734 **, A4) COLOUR TEXT (ISO24734 **, A4) DUFLEX SPEED BLACK TEXT COLOUR TEXT PHOTO DEFAULT - 10X15CM/4X6IN * <sup>10</sup> PHINT FEATURES	Approx. 7.9pp Approx. 4.8pp Approx. 72 sec	
	paper in the fastest mode, 10 x 15 cm photo print speed when printed on	DOUBLE-SIDED PRINTING	Auto/Manual -	
<sup>11</sup> Print speed, Pages Par Minute) is calculated when printed on X4 plain captor in the fastest mode, 10 x 15 om photo print speed when printed on Epson Premium Glossy Photo Paper. Print speed ward may vary depending on system configuration, print mode, apper used and correctivity. Print speed does not include processing time on host computer.	COPY FUNCTION COPY SPEED MAX COLOR DRAFT TEXT - MEMO (A4) MAX COLOR DRAFT TEXT - MEMO (A4) MAXIMUM COPY RESOLUTION REDUCTION/ENLARGEMENT MAX REDUCTION MAX REDUCTION MAX DREDUCTION MAX MUM COPIES FROM STANDALONE	Approx. 36 cpi Approx. 36 cpi 1440 x 720 dp 25-400%, Aut 25% 400% Standard copy 99		
	ELEF ELEF- International and the second seco	SCAN FUNCTION SCANNER TYPE SENSOR TYPE OPTICAL RESOLUTION NAXIMUM SCAN AREA SCANNER BIT DEPTH SCANNER BIT DEPTH COLOUR GRAYSCALE	Flatbed colour CIS 2400 dpi 2400 x 2400 d 216 x 297 mm 48-bit internal, 16-bit internal	
	#1 #2 Black text Black text and graphics	SCAN (SCHADME 300 dpi MOROCHPANE 300 dpi MONOCHPANE 500 dpi COLOUR 600 dpi COLOUR 600 dpi MONOCHPANE 1200 dpi MONOCHPANE 1200 dpi COLOUR 600 dpi	16-bit internal, Approx. 1.1 m Approx. 3.0 m Approx. 1.9 m Approx. 5.8 m Approx. 3.8 m Approx. 11.1 n Approx. 7.4 m Approx. 7.2 m	
	#3 Photo 4R (4" x 6")	PRINTER INTERFACE USB WIRELESS ETHERNET	Hi-Speed USE IEEE 802.11b/ 802.11b/g vari 100BASE-TX/10	
	2 When printed on Epson Premium Glossy Photo Paper			
	3 Supported Paper for each Market should be confirmed by referring to following "EPSON SPECIALTY MEDIA" Chapter	PAPER FEED METHOD NUMBER OF PAPER TRAYS PAPER HOLD CAPACITY INPUT PAPER SIZE *3	Friction feed 1 Input capacity Input capacity A4, A5, A6, B5 Letter(8 1/2x1)	
1	4 Via custom setting. Otherwise 3 mm top, left, right, bottom	MAXIMUM PAPER SIZE PRINT MARGIN	13x20cm(5x8ii Envelopes: #10 8.5" X 44" Omm top, left,	
	for reasons including images printed, print settings, temperature and	COLOUR MATCHING	ICM Profiles(W Compatible(M	
	5 In accordance with ISO 2471124712. Actual yields will vary considerably point aethogs, temperature and humidity. Yields may be lower when printing infrequently or predominantly with one ink colour. A variable amount of Ink remains in the cartridges after the "replace cartridge" signal. Part of the origination of the printing infrequence of the origination of the printing in the side for one origination of the printing in the print like is used for the origination.	NOISE LEVEL LWAD : 5.3B(A) LPAM : 38DB(A)	Measurement Calculation : a	
	both printing and print head maintenance. All inks are used for both black and colour printing.	ELECTRICAL SPECIFICATIONS RATED VOLTAGE RATED FREQUENCY POWER CONSUMPTION	AC 100-120V 50~60 Hz Approx. 15W ( (Standalone C	
	6 Determined in accordance with ISO/IEC 24734 sharing the average of ESAT with the Office Category Test for default simplex.	PRINTER SOFTWARE ON CD-ROM OPERATING SYSTEM COMPATIBILITY ON-LINE GUIDE	Windows® XP/ Yes	
	¥ 👝 🧑	EPSON GENUINE INK CARTRIDGES T141 INK SERIES BLACK	PAGE YIELD	
		CYAN MAGENTA YELLOW	470 (Composit	
	EPSON and EXCEED YOUR VISION are registered trademarks of Seiko Epson Corporation.	T143 INK SERIES BLACK CYAN	945 755 (Composit	
	All other product names and other company names used herein are or identification purposes only and	MAGENTA YELLOW		
	are the trademarks or registered rademarks of their respective owners.	EPSON SPECIALTY MEDIA MATTE PAPER HEAV/WEIGHT A4 C13S041259 GLOSSY PHOTO PAPER A4 PERMIUM GLOSSY PHOTO PAPER A4 PHEMIUM GLOSSY PHOTO PAPER A4 PHOTO GUALENT INVOS PHOTO PAPER A4 PHOTO GUALENT INVOS PHOTO PAPER A4 PHOTO GUALENT INVOS PHOTO PAPER A4 PEMIUM SEMIGLOSS PHOTO PAPER A4	ORDER CODE C13S042070 C13S042071 C13S041863	
	PSON disclaims any and all rights n those marks. Scan/Print samples shown herein are simulations. Specifications are subject to change without notice.	PREMIUM GLOSSY PHOTO PAPER A4 PHOTO QUALITY INKJET PAPER A4 C13S041786 PREMIUM SEMIGLOSS PHOTO PAPER 4R PREMIUM SEMIGLOSS PHOTO PAPER A4	C13S041285 C13S041925 C13S041332	

SPECIFICA		
RODUCT CODE	C11CA70411	
RINTER TYPE RINTING METHOD DZLE CONFIGURATION RINT DIRECTION	On-demand ink jet (piezoelectric) 344 nozzles Black, 128 nozzles, each colour (Cyan, Magenta, Yellow) Bi-directional printing, Uni-directional printing	
TINT FUNCTION AXIMUM RESOLUTION NIMUM INK DROPLET VOLUME NIMT SPEED <sup>-1</sup> MAX BLACK DPAFT TEXT - MEMO (A4) MAX COLOR DPAFT TEXT - MEMO (A4) MAX PHOTO DPAFT - 10X15CM/4X6IN *2 49	5760 x 1440 dpi (with Variable-Sized Droplet Technology) 2 pl Approx. 36 ppm (Draft) <sup>41</sup> Approx. 36 ppm (Draft) <sup>42</sup> Approx. 36 se per photo W/Borden	
SLACK TEXT (ISO24734 **, A4) >OLOUR TEXT (ISO24734 **, A4) PLEX SPEED DOLOUR TEXT OKTO DEFAULT - 10X15CM/4X6IN * <sup>0</sup> NINT FEATURES OUBLE-SIDED PRINTING	Approx. 14 sec per photo (W/Border) Approx. 15 sec per photo (Borderles) Approx. 15pm (Default) Approx. 7, 5ppm (Default) Approx. 7, 5ppm (Default) Approx. 7, 5ppm (Default) Approx. 7, 2 sec per photo (Borderless) Auto/Manual - Yes	
DPY FUNCTION DPY SPEED MAX COLOR DPART TEXT - MEMO (A4) MAX COLOR DPART TEXT - MEMO (A4) AXMMUM COPY RESOLUTION EDUCTION/ENLARGEMENT MAX ENLARGEMENT MAX ENLARGEMENT SPY MODE MAXENLARGEMENT SPY MODE MAXMUM COPIES FROM STANDALONE	Approx. 36 cpm (Draft) Approx. 36 cpm (Draft) 1440 x 720 dpi (with Variable-Sized Droplet Technology) 254-000%, Auto Fit Function 25% 400% Standard copy mode, BorderFree 99	
CAN FUNCTION SANNER TYPE SENSOR TYPE TICAL RESOLUTION AXMUM SCAN AREA AXMUM SCAN AREA COLOUR GRAYSCALE BLACK & WHITE	Flatbed colour image scanner CIS 2400 dpi 2400 dpi 2402 4207 mm (8.5 x 11.7 inch) 48-bit internal, 24-bit external 48-bit internal, 3-bit external 16-bit internal, 1-bit external	
ELACK & WHITE IAN SPEED UNOCCHFOME 300 dpi DOLOUH 300 dpi DOLOUH 800 dpi DOLOUH 200 dpi MONOCHFOME 2400 dpi DOLOUH 2400 dpi	Approx. 1.1 msec/line Approx. 3.0 msec/line Approx. 3.0 msec/line Approx. 3.8 msec/line Approx. 3.1 msec/line Approx. 7.4 msec/line Approx. 7.4 msec/line Approx. 7.4 msec/line	
IINTER INTERFACE 3B IRELESS HERNET	Hi-Spaed USB - Compatible with the USB 2.0 Specification IEEE 802.11b/g/n (Whether your printer complies with IEEE 802.11b/g/n or IEEE 802.11b/g varies according to your location) 1003ASE-TV/04ASE-T	
IPER HANDLING IPER FEED METHOD JMBER OF PAPER TRAYS PER HOLD CAPACITY INPUT PER SIZE '3 AXIMUM PAPER SIZE INIT MARGIN	Friction feed 1 Input capacity : 150 sheets, A4 Plain paper (75g/m2) Input capacity : 20 sheets, Premium Glossy Photo Paper A4, A5, A6, B5, NotScrift-Kein, Ji, Str&Bent/Srift, By RtScrift, Str.Str., Kork, Mark, J., Str., Bent/Srift, J., Str.,	
DLOUR MATCHING	Umm top, tett, ngnt, bottom via custom settings in printer driver " ICM Profiles[Windows], AdobeRGB (Windows and Mac), ColorSync2.0 Compatible[Wac). ICC Profiles:EAI, ICC Profiles:Euro/Asia	_
DISE LEVEL (AD : 5.3B(A) AM : 38DB(A)	Measurement : according to ISO7779 Pattern with PGPP/Photo RPM mode Calculation : according to ISO9296	
ECTRICAL SPECIFICATIONS TED VOLTAGE TED FREQUENCY OWER CONSUMPTION	AC 100-120V / 220-240V (Rated Voltage will vary depending on area) 50-60 Hz Approx. 15W (AC100-120V), 15W (AC220-240V), 15W (AC100-240V) (Standalone Copying mode, ISO/IEC 24712 Pattern), Energy Star rating	
RINTER SOFTWARE ON CD-ROM PERATING SYSTEM COMPATIBILITY N-LINE GUIDE	Windows® XP/XP Professional x64 Edition/Vista™/7, Mac OS® 10.4.11 or later Yes	
ROM GENUINE INK CARTRIDGES       41 INK SERIES       BLACK       YVAN       MAGEINTA       BLACK       YVAN       JACK       YVAN       MAGENTA       MAGENTA       MAGENTA       MAGENTA       MAGENTA       MAGENTA       YAN       MAGENTA       FelLOW	PAGE YIELD **         ORDER CODE           230         C13T141190           470 (Composite Yield)         C13T141290           945         C13T141490           755 (Composite Yield)         C13T143290           755 (Composite Yield)         C13T143290	
SON SPECIALTY MEDIA ANTE PAPER HEAVWEIGHT AA C13S041259 JOSSY PHOTO PAPER AR JOSSY PHOTO PAPER AR HEMIUM GLOSSY PHOTO PAPER AR HEMIUM SLOSSY PHOTO PAPER AA HOTO QUALITY INKJET PAPER AA C13S041786 HEMIUM SEMIGLOSS PHOTO PAPER AR EEMIUM SEMIGLOSS PHOTO PAPER A4	ORDER CODE C138X42070 C138X42071 C138X41883 C138X41885 C138X41825 C138X41925 C138X41332	

