

**BORDERLESS A3+
PHOTO PRINTING MADE
TRULY AFFORDABLE.**



In creating the next wave of printing innovation, Epson introduces the world's first truly affordable 6 colour A3+ original ink tank system printer. The L1800 comes with borderless printing capabilities and great colour fidelity, along with low running costs. It's the perfect solution for large, stunning photos, graphics, posters and more.

Print up to A3+	Cost Effective	High-Yield Ink Bottles	1 Year Warranty



The Epson L1800 is bundled with a starter kit of 6 bottles x 70ml of photo colour Epson inks, allowing up to 1,500^{*} 4R photo prints.

ENGINEERED FOR BUSINESS

A3+ Borderless Photo Printing

Supports borderless A3+ photo quality printing for superior photos, graphics and more.

Superb Savings and Page Yield

Large integrated ink tanks and highly affordable ink bottles at just US\$10.50 each.

Unsurpassed Print Quality

With a resolution of 5760 dpi and the expanded colour gamut of 6 inks, you can be assured of the highest quality in photo printing.

*Refer to specifications.

The L1800 is the world's first A3+ 6-colour original ink tank system printer, giving you the ability to produce borderless, photo quality prints at ultra low running costs. When it comes to sharing high impact visuals on a larger scale, the L1800 is the solution you've been waiting for.



A3+ Borderless Photo Printing



The L1800 allows you to print borderless, photo quality images up to A3+ in size. It delivers superior colour reproduction for large photos, graphics and more to achieve the best impression on your audience.

Superb Savings and Page Yield

High capacity integrated ink tanks and highly affordable genuine photo ink bottles at just US\$10.50 each add up to greater savings. The L1800 is bundled with 6 photo ink bottles that yield up to 1,500[^] borderless 4R photos.

[^]Refer to specifications.

Unsurpassed Print Quality



Designed for continuous printing performance, Epson's renowned Micro Piezo™ printhead is not only highly reliable in operation, it also delivers an astoundingly high resolution of 5760dpi. Paired with the expanded colour gamut of 6 photo inks, the L1800 delivers superior colour, gradation and photographic tones in every printout.



Designed for High Productivity



The L1800 is designed to achieve fast print speeds of up to 15ppm (draft/black) and 45 sec per 4R borderless photo.

Media Flexibility



The L1800 supports printing to a wide variety of printing media from 4R photo prints all the way up to A3+ sizes, allowing you to accomplish all your printing jobs, from the simplest to the most demanding.

1-Year Warranty for Peace of Mind



Enjoy warranty coverage of one year or 30,000 prints, whichever comes first, for maximum value from your printer and freedom from maintenance worries.

Hassle-free Operation

Epson's original ink tank system is engineered for easy, mess-free refills. The special tubes in the printer are designed to ensure smooth and reliable ink flow at all times.



Specially fitted tubes ensure reliable ink flow without leakage



Smart tip design for easy, mess-free refills

Quality That Shines. Value That Lasts.

Epson genuine ink bottles are individually sealed to ensure the purity of its contents and formulated to deliver outstanding high-volume print quality with L-Series printers. Choose Epson genuine ink bottles to enjoy lasting quality with your L-Series printer and low printing costs.

PARTNERS IN PERFECTION



Epson L800 Ink Tank System Printer
A4 photo quality printer with 6-colour original ink tank system for superior colour fidelity.



Epson Expression 11000XL A3 Photo Scanner
Fast and flexible A3 scanner with 2400 x 4800 dpi resolution, zero warm-up time and optional Transparency Unit for handling a wide variety of film formats.


SPECIFICATIONS
L1800



MODEL NUMBER	L1800	
Printing		
Print Method	On-demand ink jet	
Nozzle Configuration	90 nozzles each colour (Cyan, Light Cyan, Magenta, Light Magenta, Yellow, Black)	
Print Direction	Bi-directional printing, Uni-directional printing	
Maximum Resolution	5760 x 1440 dpi (with Variable-Sized Droplet Technology)	
Minimum Ink Droplet Volume	1.5pl	
Print Speed ¹		
Max Draft Text - Memo A4	Approx. 15 ^{#1} /15 ^{#2} ppm (Bk/C)	
Photo Default - 10x15cm/4x6"	Approx. 45 sec per photo (Borderless)	
Double-sided Printing	Yes (Manual)	
Paper Handling		
Paper Feed Method	Friction feed	
Number of Paper Trays	1	
Paper Hold Capacity		
Input Capacity	100 sheets, A4 Plain paper (75g/m ²), 30 sheets, Premium Glossy Photo Paper	
Output Capacity	50 sheets, A4 Plain paper, 20 sheets, Premium Glossy Photo Paper	
Paper Size	A3+, A3, B4, A4, A5, A6, B5, 10x15cm (4x6"), 13x18cm (5x7"), 16:9 wide size, Letter (8.5x11"), Legal (8.5x14"), Half Letter (5.5x8.5"), 9x13cm (3.5x5"), 13x20cm(5x8"), 20x25cm(8x10"), Envelopes: #10(4.125x9.5") DL(110x220mm), C4 (229x324mm), C6(114x162mm)	
Maximum Paper Size	12.95 x 44"	
Print Margin	0mm top, left, right, bottom via custom settings. Otherwise 3mm top, left, right, bottom.	
Connectivity		
Standard	USB 2.0 Hi-Speed	
Printer Software		
Operating System Compatibility	Windows XP/XP Professional x64 Edition/Vista/7/8/8.1 Mac OS X 10.5.8, 10.6.x, 10.7.x, 10.8.x, 10.9.x	
Electrical Specifications		
Rated Voltage	AC 220-240V (Rated voltage will vary depending on area)	
Rated Frequency	50-60 Hz	
Power Consumption		
Printing	Approx. 16W	
Standby	Approx. 6.8W	
Sleep	Approx. 2.2W	
Power Off	Approx. 0.4W	
Epson Genuine Ink Bottle	Photo Page Yield (4R) ²	Order Code
Black	8,700 pages	T6731
Cyan	1,500 pages	T6732
Magenta		T6733
Yellow		T6734
Light Cyan		T6735
Light Magenta		T6736

Dimensions & Weight

L1800
Weight: 12.5kg (27.6lb)



¹ Print speed (Pages Per Minute) is calculated when printed on A4 plain paper in the fastest mode. Print speed may vary depending on system configuration, print mode, document complexity, software, type of paper used and connectivity. Print speed does not include processing time on host computer.



² Quoted yields are extrapolated based on Epson original methodology from the print simulation of Test Patterns provided in ISO/IEC 29103. Quoted yields are NOT based on ISO/IEC 29103. Actual yields may vary depending on manner of usage and print pattern.



© 2014 Epson Singapore Pte Ltd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. EPSON and EXCEED YOUR VISION are registered trademarks of Seiko Epson Corporation. All other products names and other company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. Print samples shown are simulations only. Specifications and product availability are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

Information correct as at April 2014